Journal of Non-Crystalline Solids 150 (1992) ix–xiv
North-Holland

Contents

Preface vii
Contents ix

Section 1. X-ray and neutron diffraction

Diffraction studies of the structure of amorphous and nanocrystalline metals and alloys: a review
C.N.J. Wagner 1
Short range structure of $(Cu_{40}Ti_{60})_x(Ni_{40}Ti_{60})_{1-x}$ $(0 \le x \le 1)$ ternary metallic glasses studied by neutron diffraction
T. Fukunaga, K. Suzuki and U. Mizutani 10
Atomic structure of $Al_{55}(Cr_{1-x}Mn_x)_{15}Si_{30}$ metallic glasses observed by neutron diffraction
T. Fukunaga, K. Suzuki and U. Mizutani 15
Anisotropic atomic structure of Tb–Fe and Tb–Co amorphous alloys
H. Tanaka, Y. Kato and S. Takayama 21
The structure of liquid bismuth under pressure
K. Yaoita, K. Tsuji, Y. Katayama, M. Imai, J.-Q. Chen, T. Kikegawa and O. Shimomura 25
X-ray diffraction measurements for expanded fluid mercury up to the supercritical region
K. Tamura and S. Hosokawa 29
X-ray diffraction measurements for liquid As_2Se_3 up to the semiconductor–metal transition region
S. Hosokawa, Y. Sakaguchi and K. Tamura 35
X-ray diffraction measurements for expanded liquid alkali halides at very high temperatures
S. Hosokawa, S. Yamada and K. Tamura 40
Pressure-induced structural transformations in amorphous semiconductors
K. Tanaka 44
Amorphization from the quenched high-pressure phase of silicon and germanium
M. Imai, K. Yaoita, Y. Katayama, J.-Q. Chen and K. Tsuji 49
The structure of liquid Sb–Se alloys
F. Kakinuma, T. Fukunaga, M. Misawa and K. Suzuki 53
Orientational correlation in molecular liquids estimated from experimental structure factors
M. Misawa 58
Diffraction techniques and structural models for amorphous materials
G. Ennas, M.P. Medda, A. Musinu, G. Piccaluga and G. Pinna 65
A neutron diffraction and MAS-NMR study of the structure of fast neutron irradiated vitreous silica
A.C. Wright, B. Bachra, T.M. Brunier, R.N. Sinclair, L.F. Gladden and R.L. Portsmouth 69
An X-ray diffraction study of sodium borate glasses
M.P. Medda, A. Musinu, G. Paschina and G. Piccaluga 76
Structure of a copper sodium phosphate glass by neutron scattering with isotopic substitution
P.H. Gaskell, J. Zhao, P. Boden and P. Chieux 80

0022-3093/92/$05.00 © 1992 – Elsevier Science Publishers B.V. All rights reserved

An X-ray diffraction study of the structure of B_2O_3–Cs_2O liquids
Y. Iwadate, K. Fukushima, T. Hattori and J. Mochinaga 87
Diffraction study of $Li_2O \cdot SiO_2$ glass with computer simulation
Y. Akasaka, H. Inoue and I. Yasui 92
The structure of alkali silicate glasses
A.C. Hannon, B. Vessal and J.M. Parker 97
Molecular dynamics simulation of the mixed anion glasses Li_4SiO_4–Li_3BO_3
M. Takahashi, H. Toyuki, N. Umesaki, K. Kawamura, M. Tatsumisago and T. Minami 103
Structure and properties of Bi_2O_3–BaO–CuO glasses
F. Miyaji, S. Fujimine, T. Yoko and S. Sakka 107

Section 2. Medium-range structure

Chemical ordering of interstitial voids: the origin of the first sharp diffraction peak for covalent glasses
S.R. Elliott 112
Athermal photo-amorphization of $As_{50}Se_{50}$ films
A.V. Kolobov, V.A. Bershtein and S.R. Elliott 116
Structural characterization of amorphous silicon nitride by molecular dynamics simulation
N. Umesaki, N. Hirosaki and K. Hirao 120
Neutron scattering studies of the structure of a highly tetrahedral form of amorphous carbon
P.H. Gaskell, A. Saeed, P. Chieux and D.R. McKenzie 126
A comparison of the medium-range order in glassy GeS_2 and Sb_2S_3
L. Červinka and J. Bergerová 132
Medium-range order in polymers: non-crystalline ordering of flexible side chains in rigid rod polyesters
L. Červinka 136
The structure of Ag- and Li-borate glasses of the composition $(Ag_2O \cdot 2B_2O_3)_{1-x}(AgI)_x$ and $(Li_2O \cdot 2B_2O_3)$
L. Červinka, F. Rocca, P. Fornasini and G. Dalba 140
The effects of the homogeneity of non-crystalline Pb–Ti–O gels on the complex thermal processes leading to $PbTiO_3$ formation
T. Isobe, S. Komatsubara and M. Senna 144
Optical anisotropy and columnar structure of obliquely deposited thin films containing fine metal particles
M. Suzuki and Y. Taga 148

Section 3. Small-angle X-ray and neutron scattering

Small-angle neutron scattering from non-crystalline materials on a pulsed neutron source
R.K. Heenan and S.M. King 153
A SAXS study of the gelation process of silicon and titanium alkoxides
T. Kamiyama, M. Mikami and K. Suzuki 157
Small-angle X-ray scattering studies of a-$Si_{1-x}Ge_x$:H alloys
S. Muramatsu, S. Matsubara, T. Watanabe, T. Shimada, T. Kamiyama and K. Suzuki 163
A SAXS study of the nanometer scale hybrid structure of Si–Ti–C–O amorphous fibers
K. Suzuya, T. Kamiyama, T. Yamamura, K. Okamura and K. Suzuki 167
A SAXS observation of the crystallization of an $Al_{85}Y_{10}Ni_5$ amorphous alloy in the supercooled liquid state
T. Kamiyama, S. Matsuo and K. Suzuki 172

Section 4. Spectroscopy

Structural and thermal properties of some tellurite glasses
A.A. Bahgat, I.I. Shaltout and A.M. Abu-Elazm 179
An estimation of the distribution functions of doped Tb^{3+} and Nd^{3+} in glasses by fluorescence measurements
K. Tonooka, N. Kamata, K. Yamada, K. Matsumoto and F. Maruyama 185
A ^{207}Pb MAS-NMR study of Pb-containing glasses
T. Yoko, K. Tadanaga, F. Miyaji and S. Sakka 192
A comparison between the Raman modes of the tetrahedral network in amorphous and layered crystalline $GeSe_2$
K. Inoue, O. Matsuda and K. Murase 197
Disorder in $GeSe_2$ small crystals and medium-range structure in amorphous $GeSe_2$
O. Matsuda, K. Inoue, T. Nakane and K. Murase 202
Raman spectra of rapidly quenched glasses and melts containing large amounts of Li_2O
M. Tatsumisago, Y. Kowada and T. Minami 207

Section 5. Dynamics and inelastic neutron scattering

Atomic low-energy dynamics in glasses
M. Klinger 212
Phonon spectrum of binary ions
S.K. Srivastava and M. Khare 216
Inelastic neutron scattering studies of amorphous network solids
R.N. Sinclair, A.C. Wright, T.M. Brunier, R.A. Hulme, C.A. Guy, A.C. Hannon and M. Arai . 219
Experimental investigation of the atomic dynamics of amorphous and icosahedral alloys
J.-B. Suck 231
A dynamic correlation function for amorphous solids
A.C. Hannon, M. Arai, R.N. Sinclair and A.C. Wright 239
Neutron Brillouin scattering in a metallic glass
J.-B. Suck, P.A. Egelstaff, R.A. Robinson, D.S. Sivia and A.D. Taylor 245
Correlated atomic motions in $Pd_{79}Si_{21}$ alloy glass observed by inelastic pulsed neutron scattering
K. Shibata, H. Mizuseki, J.L. Finney and K. Suzuki 251
The polycarbosilane-to-Si_xC_{1-x} conversion studied by inelastic neutron scattering and infrared absorption
K. Suzuya, K. Shibata, K. Okamura and K. Suzuki 255

Section 6. Liquids

A novel phase transition in alloys
M.-L. Saboungi and D.L. Price 260
Polyanionic clustering in crystalline and liquid alkali–group-III metal alloys
J. Hafner, W. Jank and J. Holzmannhofer 266
Melting and short-range order in liquids and glasses
I. Kanazawa 271
Dynamical studies of an aqueous electrolyte in the supercooled liquid and glassy states
J. Dupuy-Philon, J.F. Jal and B. Prevel 275
Dynamical properties of an alkali chloride mixture in the glassy and liquid states
K. Kinugawa, K. Kadono and H. Tanaka 281

Dynamics of vitreous and molten zinc chloride
D.L. Price, M.-L. Saboungi, S. Susman, K.J. Volin and A.C. Wright 287
A coherent quasielastic neutron scattering study of NO_3^- ion motion in molten $RbNO_3$
T. Kamiyama, K. Shibata and K. Suzuki 292
Dynamical properties of solutions of $LiNO_3$ in (1,3)-diaminopropane in the liquid and glassy states
H. Hayashi, T. Kamiyama, Y. Nakamura and Y. Izumi 297
A computer simulation study of the structural similarities between fluoroberyllate and alkaline earth silicate melts
N. Umesaki, H. Ohno, K. Igarashi and K. Furukawa 302

Section 7. Electronic structure

First-principles calculations of the structural, electronic, and magnetic properties of transition-metal glasses
J. Hafner, C. Hausleitner, W. Jank and I. Turek 307
The structure and effective pair potential of liquid manganese near the melting point
T. Arai, S. Naito and I. Yokoyama 314
Application of the DV-Xα cluster method to calculations of the electronic structure of silicate and phosphate glasses
Y. Kowada, H. Adachi, M. Tatsumisago and T. Minami 318

Section 8. Quasicrystal

A single-crystal X-ray diffraction study of an $Al_{70.5}Pd_{21}Mn_{8.5}$ icosahedral quasicrystal
C. Janot, M. de Boissieu, M. Boudard, H. Vincent, M. Durand, J.M. Dubois and C. Dong 322
Chemically driven structural change in quasicrystalline Al–Pd–Mn alloys
A.P. Tsai, Y. Yokoyama, A. Inoue and T. Masumoto 327
Disclination loops observed in ion irradiated Ni–Mo amorphous films and their fractal characteristics
B.X. Liu and C.H. Shang 332
Stability, atomic and electronic structure of icosahedral quasicrystals
J. Hafner and M. Krajčí 337

Section 9. XANES, EXAFS and AXS

X-ray absorption near edge structure spectroscopy (XANES) investigations of amorphous alloys
P. Kizler 342
EXAFS studies of arsenic in amorphous silicon
G.S. Cargill III and M. Matsuura 347
EXAFS measurements for liquid As_2Se_3 at high temperatures and pressures
K. Tamura, S. Hosokawa, M. Inui, M. Yao, H. Endo and H. Hoshino 351
An EXAFS study of Ag_3AsS_3 glass
M. Okuno, H. Sugaya and T. Matsumoto 356
Local atomic order in amorphous III–V semiconductors by EXAFS and X-ray anomalous scattering
D. Udron, A.-M. Flank, P. Lagarde, D. Raoux and M.-L. Thèye 361
X-ray scattering studies of the short and medium range ordering in As_xTe_{1-x} glasses
Q. Ma, D. Raoux and S. Benazeth 366
Local and medium range order in germanium chalcogenide glasses
P. Armand, A. Ibanez, E. Philippot, Q. Ma and D. Raoux 371

A structural study of Y_2O_3–Al_2O_3–SiO_2 glass employing partial RDFs obtained by anomalous scattering
A. Nukui, U. Shimizugawa, S. Inoue, H. Ozawa, R. Uno, K. Oosumi and A. Makishima 376
An anomalous X-ray structural study of an amorphous $La_{55}Al_{25}Ni_{20}$ alloy with a wide supercooled liquid region
E. Matsubara, T. Tamura, Y. Waseda, T. Zhang, A. Inoue and T. Masumoto 380
Short range structure of mechanically alloyed amorphous Ni_2Zr investigated by anomalous X-ray scattering
F. Buffa, A. Corrias, G. Licheri, G. Navarra and D. Raoux 386
The amorphous structure of immiscible Fe–Cu–Ag alloys
K. Sumiyama, K. Nishi, M. Shiga, M. Sakurai and K. Suzuki 391

Section 10. Relaxation and crystallization

The structural relaxation and glass transition of La–Al–Ni and Zr–Al–Cu amorphous alloys with a significant supercooled liquid region
A. Inoue, T. Zhang and T. Masumoto 396
The observation of two glass transitions in the dynamic mechanical properties of a $La_{55}Al_{25}Ni_{20}$ amorphous alloy
H. Okumura, H.S. Chen, A. Inoue and T. Masumoto 401
Internal friction and structural relaxation of amorphous Fe–Mn–P alloys
W.-N. Myung, S.-J. Kim, D.-H. Jang, H. Okumura, A. Inoue and T. Masumoto 406
Characterization of different ice habits according to nucleation processes in the electrolyte $LiCl \cdot RH_2O$ $(6 < R < 9)$
J. Fornazero, A. El Hachadi and J. Dupuy-Philon 413
The relaxation of melt-spun amorphous $Ni_{35}Ti_{65}$ ribbons investigated by dilatometry, electrical resistivity and calorimetry techniques
C. Görlitz and H. Ruppersberg 419

Section 11. Surface and mesoscopic particles

Electron irradiation-induced dynamical fluctuations in amorphous structures
P.M. Ajayan and S. Iijima 423
Structural fluctuations in argon and gold microclusters
M. Doyama, M. Matsui, T. Uchida, H. Matsuoka and T. Hirokawa 429
The effect of annealing on the structure of $Ge_{20}Te_{80}$ glass: atomic-scale imaging using a scanning tunnelling microscope
K. Ichikawa 435
The surface structure and catalytic properties of partially crystallized Fe–Si–B alloys
Z.J. Chui, L. Wang, K.Y. Wang, L. Sun, G.W. Qiao and J.T. Wang 440
The structure and properties of nanocrystalline $Fe_{78}B_{13}Si_9$ alloy
H.Y. Tong, J.T. Wang, B.Z. Ding, H.G. Jiang and K. Lu 444

Section 12. Solid state amorphization

Solid state amorphization in Cu–Hf multilayers studied by time-differential perturbed-angular correlation
T. Oguchi, I. Kanazawa, T. Iwashita, W.-H. Soe, A. Yamaguchi and R. Yamamoto 448
Amorphous metal–hydrogen alloys prepared by mechano-chemical reaction
K. Tokumitsu 452

The influence of atmosphere on the amorphization reaction by mechanical alloying for the Ni–Ti system
K.Y. Wang, T.D. Shen, J.T. Wang and M.X. Quan 456
Relaxation and crystallization of mechanically alloyed amorphous $Ni_{35}Ti_{65}$ powder
C. Görlitz, S. Hartmann and H. Ruppersberg 460
Amorphization induced by mechanical alloying and cold rolling
T.D. Shen, J.T. Wang, M.X. Quan and W.D. Wei 464
Preparation and reactivities of composite nanocrystalline solids prepared by mechanical alloying
T.D. Shen, K.Y. Wang, J.T. Wang, M.X. Quan and W.D. Wei 468
Thermodynamics and morphology of the amorphization reaction during the rod-milling of Al–50 at.% Ta alloy powder
M.S. El-Eskandarany, K. Aoki and K. Suzuki 472
The structure of amorphous and nanocrystalline W–Fe alloys prepared by high-energy ball milling
M.S. Boldrick, E. Yang and C.N.J. Wagner 478
A comparison of the structures of Ni–Zr amorphous alloys obtained by mechanical alloying and melt spinning
O. Haruyama, A. Kuroda and N. Asahi 483
Structural evolution in mechanical alloying of Co and B powders
A. Corrias, G. Ennas, G. Marongiu, A. Musinu and G. Paschina 487
An EXAFS study of structural changes induced by mechanical milling of the Ni_3Al ordered intermetallic compound
T. Nasu, C.C. Koch, A.M. Edwards and D.E. Sayers 491

Author index 497
Subject index 503